AMENDMENTS TO THE CLAIMS

2

Applicant submits below a complete listing of the current claims, including marked-up claims with insertions indicated by underlining and deletions indicated by strikeouts and/or double bracketing. This listing of claims replaces all prior versions, and listings, of claims in the application:

- 1-13. (Canceled).
- 14. (Currently amended) A system for providing transcription of a conference between two or more individuals a plurality of participants of the conference, the system comprising:
- a plurality of reception stages to receive speech information from the plurality of participants over a respective plurality of transmission channels; and

at least one processor adapted to implement capable of receiving the information from the plurality of reception stages, the at least one processor programmed to:

analyze the information a channel recognizer coupled to the plurality of reception stages to receive speech information, the channel recognizer recognizing which of the received at the plurality of reception stages to determine which of the plurality of participants of the conference is speaking is receiving speech information during a given time interval based, at least in part, on identifying which of the plurality of reception stages is receiving speech information;

select one of the plurality of transmission channels corresponding to the reception stage identified as receiving speech information as to-identify an in-use channel of the plurality of transmission channels and to:

<u>determine</u> provide channel information including at least one transmission parameter of the in-use channel:

extract a feature vector extractor for extracting at least one feature vector from the speech information based, at least in part, on the channel information;

<u>perform</u> a <u>segmentation recognizer for performing</u> acoustic segmentation of the speech information to <u>provide generate</u> acoustic segmentation information indicating at least one segment identified in the speech information based, at least in part, on the channel information and the at least one feature vector, the acoustic segmentation information including a label for the at least one segment of the speech information indicating whether the at least one segment is associated with speech, a pause in speech or non-speech;

3

determine a language recognizer for determining a language of the speech information based, at least in part, on the channel information, the at least one feature vector and the acoustic segmentation information; and

generate a speech recognizer for providing text information corresponding to words recognized in the speech information based, at least in part, on the channel information, the at least one feature vector, the acoustic segmentation information and the language.

15. (Previously presented) The system of claim 14, wherein the plurality of reception stages include at least two of the following:

at least one sound card installed in at least one computer, the sound card connected to at least one microphone;

at least one connection adapted to receive at least one analog telephone line;

at least one connection adapted to receive at least one digital telephone line;

at least one connection adapted to receive at least one Integrated Services Digital Network (ISDN) telephone line:

at least one connection adapted to receive at least one data network channel; and at least one connection adapted to receive a voice-over-internet-protocol (VoIP) data stream.

 (Previously presented) The system of claim 15, wherein the channel information includes bandwidth information of the in-use channel. 17. (Currently amended) The system of claim 15, wherein the at least one processor is programmed to further comprising a topic recognizer for recognizing recognize at least one key word in the speech information based, at least in part, on the language of the speech information, and wherein the speech recognizer provides the text information based, at least in part, on the at least one key word.

4

- 18. (Currently amended) The system of claim 17, wherein the at least one processor is programmed to further comprising a speaker group recognizer for recognizing recognize a speaker group associated with the speech information based, at least in part, on the channel information and the language of the speech information, and wherein the speech recognizer provides the text information based, at least in part, on the speaker group.
- 19. (Currently amended) A method of providing transcription of a conference between two or more individuals a plurality of participants of the conference, the method comprising:

receiving speech information over a plurality of transmission channels <u>from the plurality</u> of participants;

analyzing the information received at recognizing which of the plurality of transmission channels reception stages to determine which of the plurality of participants of the conference is speaking is receiving speech information during a given time interval based, at least in part, on identifying which of the plurality of reception stages is receiving speech information to identify;

selecting one of the plurality of transmission channels corresponding to the reception stage identified as receiving speech as an in-use channel of the plurality of transmission channels;

determining providing channel information including at least one transmission parameter of that identifies the in-use channel;

extracting at least one feature vector from the speech information based, at least in part, on the channel information;

performing acoustic segmentation of the speech information to provide generate acoustic segmentation information indicating at least one segment identified in the speech information based, at least in part, on the channel information and the at least one feature vector, the acoustic segmentation information including a label for the at least one segment of the speech information indicating whether the at least one segment is associated with speech, a pause in speech or non-speech;

5

determining a language of the speech information based, at least in part, on the channel information, the at least one feature vector and the acoustic segmentation information; and

generating providing text information corresponding to words recognized in the speech information based, at least in part, on the channel information, the at least one feature vector, the acoustic segmentation information and the language of the speech information.

20. (Previously presented) The method of claim 19, wherein receiving speech information over a plurality of transmission channels includes receiving speech information via at least two of the following:

at least one sound card installed in at least one computer, the sound card connected to at least one microphone;

at least one analog telephone line;

at least one digital telephone line;

at least one Integrated Services Digital Network (ISDN) telephone line;

at least one data network channel; and

at least one voice-over-internet-protocol (VoIP) data stream.

- (Previously presented) The method of claim 20, wherein the channel information includes bandwidth information of the in-use channel.
- (Previously presented) The method of claim 19, further comprising recognizing at least one key word in the speech information based, at least in part, on the language of the

speech information, and providing the text information is based, at least in part, on the at least one key word.

6

- 23. (Previously presented) The method of claim 22, further comprising recognizing a speaker group associated with the speech information based, at least in part, on the channel information and the language of the speech information, and wherein providing the text information is based, at least in part, on the speaker group.
- 24. (Currently amended) A computer readable storage device encoded with a plurality of instructions for execution on at least one processor, the plurality of instructions, when executed on the at least one processor, performing a method of providing transcription of a conference between two or more individuals a plurality of participants of the conference, the method comprising:

receiving speech information over a plurality of transmission channels from the plurality of participants:

analyzing the information received at recognizing which of the plurality of transmission channels reception stages to determine which of the plurality of participants of the conference is speaking is receiving speech information during a given time interval based, at least in part, on identifying which of the plurality of reception stages is receiving speech information to identify;

selecting one of the plurality of transmission channels corresponding to the reception stage identified as receiving speech as an in-use channel of the plurality of transmission channels:

determining providing channel information including at least one transmission parameter of that identifies the in-use channel;

extracting at least one feature vector from the speech information based, at least in part, on the channel information;

performing acoustic segmentation of the speech information to provide generate acoustic segmentation information indicating at least one segment identified in the speech information based, at least in part, on the channel information and the at least one feature vector, the acoustic segmentation information including a label for the at least one segment of the speech information indicating whether the at least one segment is associated with speech, a pause in speech or non-speech;

7

determining a language of the speech information based, at least in part, on the channel information, the at least one feature vector and the acoustic segmentation information; and

generating providing text information corresponding to words recognized in the speech information based, at least in part, on the channel information, the at least one feature vector, the acoustic segmentation information and the language of the speech information.

25. (Previously presented) The computer readable storage device of claim 24, wherein receiving speech information over a plurality of transmission channels includes receiving speech information via at least two of the following:

at least one sound card installed in at least one computer, the sound card connected to at least one microphone;

- at least one analog telephone line;
- at least one digital telephone line;
- at least one Integrated Services Digital Network (ISDN) telephone line;
- at least one data network channel; and
- at least one voice-over-internet-protocol (VoIP) data stream.
- (Previously presented) The computer readable storage device of claim 25, wherein the channel information includes bandwidth information of the in-use channel.
- 27. (Previously presented) The computer readable storage device of claim 24, further comprising recognizing at least one key word in the speech information based, at least in part, on the language of the speech information, and providing the text information is based, at least in part, on the at least one key word.

Application No. 10/535,295 Reply to Office Action of May 19, 2009

28. (Previously presented) The computer readable storage device of claim 27, further comprising recognizing a speaker group associated with the speech information based, at least in part, on the channel information and the language of the speech information, and wherein providing the text information is based, at least in part, on the speaker group.